

SCIENTIFIC PAPERS OF THE BUREAU OF STANDARDS

VOLUME 21 Nos. 524-546 Dir. II



MUTER CONTROL TRANSPORT

The constitution of the co

The place of all the control of the

August of the control of the control

ania ya amana to sati in mangan aventa ta sati man orbitatorna ali, independenta parte ali mangan va ata sati mangan va Vai denta alimi dana sai mai manusa are ania mana mangan ali man organa mai ali da mana mai man man ania mangan da ania mangan ania mangan da ania mangan da ania mangan da ania

a tribus within the entry and the property of the second o

gio-minute mitra alla montalita minima della minima di la tele alla con interessa di la continua di minima di minima

Weight and debined 2, Wed.

INDEX TO VOLUME 21

Α .			Page
	Page	Critical constants of various gases, a	
Absorption, transmission and, of		review of the literature relating	
sound by some building materials_	37	to the	141
Amplifier, harmonic, used in radio-	1.70	Current distribution	191
frequency standardization	179 209	Currents, eddy, effect of, in a core	
Analysis, dental gold alloys		consisting of circular wires	701
Anderson bridge	191		
Animals, spectral energy distribution of the light emitted by plants		D	
and	521	Davis, Raymond, Experimental study	
Antenna, coil	409	of the relation between intermit-	
directional receiving	409	tent and nonintermittent sector-	
Audio beat, measurement of fre-	400	wheel photographic exposures	95
quency by use of sonometer	179	Densities of gases, a review of the	0.0
quency by use or sonometer-	1.0	literature relating to the normal.	141
В		Dental gold alloys, analysis	209
Desire II III A desire and a basis		composition	209
Bearce, H. W., A fundamental basis	20-	Direction finder, a unicontrol high-	
for measurements of length	895	frequency radio	25
Blanchard, Marion Smith, and S. F.		radio, 90-7,700 kc (3,300-39 m)_	409
Pickering, A review of the liter- ature relating to the normal den-		Distribution of current	191
sities of gases	141	Dorcas, M. J., C. W. Hughes, W. W.	
Brooks potentiometer	191	Coblentz and, Radiometric meas-	
Building materials, transmission and	101	urements on the carbon arc and	
absorption of sound by some	37	other light sources used in photo-	
absorption of sound by some	01	therapy	535
С		Dorsey, Ernest, Measurement of sur-	
G1 1 11 - 11 14		face tension	563
Carbon arc and other light sources	- 3	Dunmore, F. W., A unicontrol high-	
use in phototherapy, radiometric	535	frequency radio direction finder	25
measurements on the Cadmium light waves as a basis for	999	, A portable radio direction	
length measurements	895	finder for 90 to 7,700 kilocycles	400
Christer, V. L., E. A. Eckhardt and,	883		
Transmission and absorption of		E	
sound by some building materials_	37		
Coblentz, W. W., M. J. Dorcas, and	0.	Eckhardt, E. A., and V. L. Christer,	
C. W. Hughes, Radiometric meas-		Transmission and absorption of	
urements on the carbon arc and		sound by some building materials_	37
other light sources used in photo-		Eddy currents in a core of circular	701
therapy	535	wires, effect of	701
- and C. W. Hughes, Spectral		Electric field of a charged wire and	001
energy distribution of the light		a slotted cylindrical conductor Establishment of radio standards of	631
emitted by plants and animals	521	frequency by the use of a harmonic	
Coil antenna	409	amplifier	179
Compass, radio	409	Expansion, thermal, of fused silica,	110
Concentrated loads, effect of, on the		measurements on the	1
length of measuring tapes	385	measurements on the	
Constants of various gases, review of		F	
literature relating to	563	P	
Conductor, electric field of a charged		Formula for the inductance of a belix	
wire and a slotted cylindrical	631	made with wire of any section	431
Copper, determination in dental gold		Frequency meter, method of stand-	
alloys	209	ardization by harmonic amplifier_	179
		757	

	Page	K	
Fundamental basis for length meas-			Page
urements	395	Kirchoff's laws	191
Fundamental standard of length	395	*	
Fused silica, measurements on the		L	
thermal expansion of	1	Laboratory weights, short tests for	
G		sets of	65
		Length measurements, fundamental	
Galvanometer shunt	191	basis for	395
Gases, a review of the literature re-		Light emitted by plants and ani-	
lating to the normal densities	141	mals, spectral energy distribution	
of various review of literature relating to	141	of the	521
the critical constants of va-		Light waves as a basis for length	
rious	563	measurements	395
Gold, dental alloys analysis	209	Linkage-current diagram for repre- senting magneto operation	647
dental alloys composition	209	Literature relating to the critical	, 011
		constants of various gases, review	
H		of	563
Harmonic amplifier, use in radio-			
frequency standardization	179	M	
Huzen, Grace, C. B. Jolliffe and,		Magnagium determination in dental	
Establishment of radio standards		Magnesium, determination in dental gold alloys	209
of frequency by the use of a har-	170	Magnetic induction in sheet steel,	200
monic amplifierHelix made with wire of any section,	179	determination of the	727
formula for the inductance of a	431	Magnetic reluctivity relationship	743
Hidnert, Peter, Wilmer Souder and,	201	Magneto operation, linkage-current	
Measurements on the thermal ex-		diagram for representing	647
pansion of fused silica	1	Manganese, determination in dental	000
High-frequency radio direction finder,		gold alloys Measurement of length, basis for	209 395
a unicontrol	25	Measurement of surface tension	563
Hudson, C. S., Relations between ro-		Measurements on the thermal expan-	000
tary power and structure in the sugar group. Part I-(1 to 10)	241	sion of fused silica	1
Hughes balance	191	Measurements, radiometric, on the	
Hughes, C. W., W. W. Coblentz and,		carbon arc and other light sources	
Spectral energy distribution of		used in phototherapy	535
light emitted by plants and ani-		Measuring tapes, effect of concen-	00=
mals	521	trated loads on the length of	385
, M. J. Dorcas, W. W. Coblentz		N	
and, Radiometric measurements on		14	
the carbon arc and other light sources used in phototherapy	5 35	Nickel, determination in dental gold	
sources about in phototherapy	000	alloys	209
I		0	
Induction in sheet steel, determina-		0	
tion of the magnetic	727	Ohm's law	191
Inductance of a helix made with		P	
wire of any section, formula for		P	
the	431	Palladium, determination in dental	
Iridium, determination in dental	209	gold alloys	209
gold alloys Iron, determination in dental gold	209	Plants and animals, special energy	
alloys	209	distribution of the light emitted	
•		Platinum, determination in dental	521
J		gold alloys	209
Jolliffe, C. B., and Grace Hazen,		Photographic exposures, experimental	
Establishment of radio standards		study of the relation between in-	
of frequency by the use of a har-		termittent and nonintermitten sec-	
monic amplifier	179	tor-wheel	95
Judson, Lewis V., Effect of concen-		Phototherapy, radiometric measure-	
trated loads on the length of measuring tapes	3 85	ments on the carbon arc and other light sources used in	535
mentaling emperations	000	mone sources used in	000

	Page		Page
Pickering, S. F., A review of the literature relating to the critical		Snow, Chester, Formula for the in- ductance of a helix made with wire	
constants of various gases, Marion Smith Blanchard and,	563	of any section Sonometer, use in standardization of	431
A review of the literature relating to the normal densities of gases	141	piezo oseillatorsSouder, Wilmer, and Peter Hidnert,	179
Pienkowsky, A. T., Short test for sets of laboratory weights Piezo-oscillator, standardization of	65 179	Measurements on the thermal ex- pansion of fused silica	1
R	2.0	of, by some building materials Spectral energy distribution of the	87
Radiocompass, portableRadio direction finder, a unicontrol	409	light emitted by plants and ani-	521
high-frenquency portable, 90-7,700 kc (3,300-39	25	Standardization of piezo osciliators_ Steel, sheet, determination of the magnetic inductance in	179 727
m)Radiogoniometer, portable Radiometric measurements on the	40 9 40 9	Sugar group, relations between rotary power and structure in	241
carbon arc and other light soucres used in phototherapy	535	Surface tension, measurement of Swanger, William H., Analysis of	563
Randolph, D. W., F. B. Silsbee and, Linkage-current diagram for repre-		dental gold alloys	209
senting magneto operation Relations between rotary power and	647	Tonog effect of concentrated loads	
structure in the sugar group Reluctivity relationship, magnetic Rhodium, determination in dental	241 743	Tapes, effect of concentrated loads on the length of measuring Tension, surface, measurement of	385 563
gold alloys Rotary power and structure in the	209	Tests, short, for sets of laboratory weights	65
sugar group, relations between	241	Thermal expansion of fused silica, measurements on the	1
S		Tin, determination in dental gold alloys	209
Sanford, Raymond L., Magnetic reluc- tivity relationship		Transmission and absorption of	2.767
	743	sound by some building materials_	37
nation of the magnetic induction		sound by some building materials_ Tuning fork, comparison of, by radio- frequency harmonics	37 179
—, and James M. Barry, Determi- nation of the magnetic induction in sheet steel	743 727	Tuning fork, comparison of, by radio-	
nation of the magnetic induction in sheet steel		Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio di-	179
nation of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in.	727	Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio di- rection finder, a	
nation of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in	727 95	Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio di- rection finder, a W	179
—, and James M. Barry, Determination of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in. Silica, fused, measurements on the thermal expansion of. Silsbee, F. B., and D. W. Randolph, Linkage-current diagram for repre-	727 95 727	Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio di- rection finder, a	179
nation of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in. Silica, fused, measurements on the thermal expansion of	727 95 727	Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio direction finder, a W Wave length of light as a standard of length Weights, laboratory, short tests for sets of Wenner, F., A principle governing the	179 25
nation of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in. Silica, fused, measurements on the thermal expansion of. Silsbee, F. B., and D. W. Randolph, Linkage-current diagram for representing magnetic operation. Silver, determination in dental gold alloys. Slotted cylindrical conductor, electric field of a charged wire and a.	727 95 727 1 647	Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio direction finder, a W Wave length of light as a standard of length Weights, laboratory, short tests for sets of Wenner, F., A principle governing the distribution of current in system of linear conductors	179 25 895 65
nation of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in. Silica, fused, measurements on the thermal expansion of. Silsbee, F. B., and D. W. Randolph, Linkage-current diagram for representing magnetic operation. Silver, determination in dental gold alloys. Slotted cylindrical conductor, electric field of a charged wire and a Snow, Chester, Effect of eddy currents in a core consisting of cir-	727 95 727 1 647 209 631	Tuning fork, comparison of, by radio- frequency harmonics	179 25 395 65
nation of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in. Silica, fused, measurements on the thermal expansion of. Silsbee, F. B., and D. W. Randolph, Linkage-current diagram for representing magnetic operation. Silver, determination in dental gold alloys. Slotted cylindrical conductor, electric field of a charged wire and a. Snow, Chester, Effect of eddy cur-	727 95 727 1 647 209	Tuning fork, comparison of, by radio- frequency harmonics U Unicontrol high-frequency radio direction finder, a W Wave length of light as a standard of length Weights, laboratory, short tests for sets of Wenner, F., A principle governing the distribution of current in system of linear conductors	179 25 895 65
—, and James M. Barry, Determination of the magnetic induction in sheet steel. Sector-wheel photographic exposures, experimental study of the relation between intermittent and nonintermittent. Sheet steel, determination of the magnetic induction in. Silica, fused, measurements on the thermal expansion of. Silsbee, F. B., and D. W. Randolph, Linkage-current diagram for representing magnetic operation. Silver, determination in dental gold alloys. Slotted cylindrical conductor, electric field of a charged wire and a. Snow, Chester, Effect of eddy currents in a core consisting of circular wires. —, Electric field of a charged wire	727 95 727 1 647 209 631	Tuning fork, comparison of, by radio- frequency harmonics	179 25 895 65

And the control of th purely the state of the second Secretary of the principal design and address The process of the second of t 2000 CT effects, buildaring deed, gere ender his beind men bollowers of deed signification first mean took had before the bar took of Con the control of th Solver on the head brought of the ago, we adopt 1183 aftion interiorment of 200%; and The control of the tistatoù Se ses est Arts and Service Service Service and the control of the survey data in C " - Left to district pickets and an Dime. Cadan Core, comparisoners, by taken was golder has all o The second second The fall below Self- Company of the Total Mark Million Const. riolation tourse The state of the s Des normes result in service site

Zine, determination is chara you









